



# 2C65K3 Test Manual

## Current Check Relay

relay monitoring systems pty ltd

---

### **Advanced Protection Devices**



User Guide



Test Manual



# 2C065K3 Test Manual

## Links to Other Documents

- Technical Bulletin: <http://www.rmspl.com.au/handbook/2C65.pdf>
- User Guide: [http://www.rmspl.com.au/userguide/2C65\\_user\\_guide.pdf](http://www.rmspl.com.au/userguide/2C65_user_guide.pdf)
- Application: [http://www.rmspl.com.au/solutions/2C65\\_application.pdf](http://www.rmspl.com.au/solutions/2C65_application.pdf)
- Acad Case Drawings: <http://www.rmspl.com.au/2C65acad.htm>

## Test Certification

This is to certify that the equipment detailed below has been manufactured, inspected & tested in accordance with a Quality System which complies with the requirements of AS/NZS ISO9001-2000.

Order Number	Serial Number

Only valid when the "Passed" box has been signed off by Production Personnel.

## Version Control

Issue	Date	Summary of changes
A	03/09/2007	Initial issue.

Due to RMS continuous product improvement policy, this information is subject to change without notice.  
This document is uncontrolled and subject to copyright.

Author	Checked & Registered	.pdf file created	Released
ERL	DG	DG	



**1.0 HARDWARE SPECIFICATIONS – 2C065K03 [B][B][A][A]**

**1.1 Auxiliary Supply**

[B] 40 - 275 VAC, 40 - 300 VDC

**1.2 Current Setting**

[B] 20 - 200%

**1.3 CT Rating**

[A] 1 Amp

**1.4 Timing Function**

[A] Instantaneous

**1.5 Non-Standard Features**

Hardware specifications not described in Technical Bulletin. None

**2.0 VERIFICATION**

This is to certify that the equipment has been manufactured, inspected and tested in accordance with a Quality System, which complies with the requirements of ISO9001: 2000.

Testing has been carried out against the declared performance specification 159-065-800 and in accordance with the relevant International (IEC) Standards.

PASSED BY	DATE

### 3.0 CONNECTION DIAGRAM

