



2V67K7 Test Manual

Multi Stage Voltage Relay

relay monitoring systems pty ltd

Advanced Protection Devices



User Guide



Test Manual



Relay Software



µMATRIXwin



2V67K7 Test Manual

Links to Other Documents

User Guide: http://www.rmspl.com.au/userguide/2V67_user_guide.pdf

Software Downloads: <http://www.rmspl.com.au/digital/uMATRIX.htm>

Test Certification

This is to certify that the equipment detailed below has been manufactured, inspected & tested in accordance with a Quality System which complies with the requirements of AS/NZS ISO9001-2000.

| Order Number | Factory Loaded UMX | Serial Number |
|--------------|--------------------|---------------|
| | | |

Only valid when the "Passed" box has been signed off by Production Personnel.

Version Control

| Issue | Date | Summary of changes |
|-------|------------|-----------------------------|
| A | 8/11/2002 | Initial issue. |
| B | 28/02/2008 | Non-standard feature update |
| | | |
| | | |

Due to RMS continuous product improvement policy, this information is subject to change without notice.
This document is uncontrolled and subject to copyright.

| Author | Checked & Registered | .pdf file created | Released |
|--------|----------------------|-------------------|----------|
| ARF | DG | DG | |

1.0 HARDWARE SPECIFICATIONS – 2V067K07 [B][B][x][A][S]

1.1 Auxiliary Supply

Auxiliary Supply Voltage [B] 40 - 275 VAC, 40 - 300 VDC

1.2 Digital Input Operating Voltage – Group 1

Status Inputs Group 1 [B] 75 – 150V AC-DC

1.3 Digital Input Operating Voltage – Group 2

Status Inputs Group 2 [x] Not Fitted

1.4 VT Input Configuration

[A] 3 Input Hardware

1.5 Non-Standard Features

Hardware specifications not described in Data Sheet. (Code [S])

Non standard front panel LED annotation.
Stated as 'Undervoltage' only.

2.0 VERIFICATION

This is to certify that the equipment has been manufactured, inspected and tested in accordance with a Quality System, which complies with the requirements of ISO9001: 2000.

Testing has been carried out against the declared performance specification 165-067-800 and in accordance with the relevant International (IEC) Standards.

| PASSED BY | DATE |
|-----------|------|
| | |